



SHARP**SERVICE MANUAL**

S30Y114GT15//



(14GT15)



(14GT20)

COLOUR TELEVISION
*Chassis No. UA-1***14GT15**
14GT20
MODELS

In the interests of user-safety (Required by safety regulations in some countries) the set should be restored to its original condition and only parts identical to those specified should be used.

FEATURE

- Favorite Channel
- Full Auto Channel Preset and Auto Channel Skip
- 100-CH Program Memory
- CATV(Hyper Band) Ready <Used Frequency Synthesizer Tuner>
- AVL(Sound Keeper) Function
- Black Stretch Circuit
- On Timer/Sleep Timer/Reminder Timer
- Blue Back Noise Mute
- Front AV-In (14GT-20 Only)
- Rear AV-In/Out Terminals
- Colour Comb Filter (NTSC Only)
- High Contrast Picture
- Hotel Mode
- Front Headphone JACK (14GT-20 Only)
- English / Thai OSD

CONTENTS

	Page		Page
● SPECIFICATIONS	2	■ HEAD PHONE Unit and	
● IMPORTANT SERVICE NOTES	3	CRT Socket Unit	39
● ADJUSTMENT PRECAUTIONS	4	■ MAIN Unit	40
● TROUBLE SHOOTING TABLE	27	● BLOCK DIAGRAM	44
● SOLID STATE DEVICE BASE DIAGRAM	31	● PRINTED WIRING BOARD ASSEMBLIES ..	49
● CHASSIS LAYOUT	32	● REPLACEMENT PARTS LIST	
● WAVEFORMS	34	■ ELECTRICAL PARTS	54
● DESCRIPTION OF SCHEMATIC DIAGRAM .	35	■ MISCELLANEOUS PARTS	58
● SCHEMATIC DIAGRAM		■ SUPPLIED ACCESSORIES	58
■ INFRARED REMOTE CONTROL UNIT ..	36	■ PACKING PARTS	58
■ TUNER	37	■ CABINET PARTS	59
■ 14GT15, 14GT20 HOTEL MODE			
APPLICATION	38		

WARNING

The chassis in this receiver is partially hot. Use an isolation transformer between the line cord plug and power receptacle, when servicing this chassis. To prevent electric shock, do not remove cover. No user – serviceable parts inside. Refer servicing to qualified service personnel.

SHARP CORPORATION

www.DataSheet4U.com

J



SCHEMATIC DIAGRAM: MODEL 14GT20 MAIN Unit

